



Jeff Cravy <jcravy@conway.k12.wa.us>

Assistance on Study and Survey Reply needed

7 messages

Jeff Cravy <jcravy@conway.k12.wa.us>

Mon, Mar 22, 2021 at 1:34 PM

To: Rich Stewart <rstewart@lc.k12.wa.us>, Ismael Vivanco <ivivanco@mvsd320.org>, PHIL BROCKMAN <pbrockman@swsd101.org>, Jean Shumate <jshumate@stanwood.wednet.edu>, "Chrys Sweeting (csweeting@asd.wednet.edu)" <csweeting@asd.wednet.edu>

Bcc: Jeff Cravy <jcravy@conway.k12.wa.us>

Dear Superintendent/Facilities Directors,

Conway School District is completing our state study and survey assessment in preparation for the rural schools grant application this coming summer/fall. As part of the process we are required to contact the districts that border ours and see if they have room to accommodate our students (450ish) in your current facilities, defined as "unused or underutilized space."

OSPI has advised we can collect the answers via email rather than a signed letter. I would appreciate your response with one of the answers at the bottom of this email.

The Conway School District No. 317 is embarking upon a capital improvement program and will be seeking state funding from the Office of Superintendent of Public Instruction. Washington Administrative Code Section 392-341-080(10) requires a documented survey of adjacent school districts to identify the existence and location of any available, suitable school plant facilities meeting the district's needs and which are currently vacant or are scheduled to be vacant within six years.

Conway School would need room to accommodate our P-8 school (450 students) which includes a preschool, ELL program, and self contained special education classroom.

Does your district have or will have suitable facilities available, or not?

No, this district does not have available facilities.

Yes, this district has suitable facilities available. Please attach a list with pertinent data such as size, condition and location.

Thank you for your assistance,

Jeff Cravy
Superintendent
Conway School District

Grit - Courage, Resolve & Strength of Character Demonstrated by Conway School Students and Staff

The information transmitted is intended only for the person or entity to which it is addressed and may contain confidential and/or privileged material, the disclosure of which is governed by applicable law. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon, this information by persons or entities other than the intended recipient is prohibited. If you received this in error please contact the sender and destroy the materials contained in this message.

PHIL BROCKMAN <pbrockman@swsd101.org>

Mon, Mar 22, 2021 at 1:41 PM

To: Jeff Cravy <jcravy@conway.k12.wa.us>

Hi Jeff,

No, the Sedro-Woolley School district does not have available facilities.

Sincerely,

Phil Brockman
Superintendent
Sedro-Woolley School District

[Quoted text hidden]

Rich Stewart <rstewart@lc.k12.wa.us>
To: Jeff Cravy <jcravy@conway.k12.wa.us>

Mon, Mar 22, 2021 at 2:06 PM

No this district does not have available facilities.
Rich

On Mon, Mar 22, 2021 at 1:35 PM Jeff Cravy <jcravy@conway.k12.wa.us> wrote:

[Quoted text hidden]

--

Superintendent, La Conner School District
office: 360.466.3171 cell: 509.520.2323

rstewart@lc.k12.wa.us

"The best way to cheer yourself up is to try to cheer somebody else up."

--Mark Twain--

<https://us02web.zoom.us/j/3153801168>

Rich Stewart's Zoom Meeting

Chrys Sweeting <csweeting@asd.wednet.edu>

Mon, Mar 22, 2021 at 4:35 PM

To: Jeff Cravy <jcravy@conway.k12.wa.us>

Cc: Rich Stewart <rstewart@lc.k12.wa.us>, Ismael Vivanco <ivivanco@mvsd320.org>, PHIL BROCKMAN <pbrockman@swsd101.org>, Jean Shumate <jshumate@stanwood.wednet.edu>

Hi Jeff,

Arlington **does not** have available facilities for your needs.

Take care!

Chrys Sweeting

Dr. Chrys Sweeting

Superintendent

csweeting@asd.wednet.edu

360.618.6202



Notice: Public records, including e-mails, are available to the public as provided by the Washington State Public Records Act (RCW 42.56). Your e-mail and my response may be considered a public record under the Act and subject to disclosure upon request by a third party.

On Mon, Mar 22, 2021 at 1:35 PM Jeff Cravy <jcravy@conway.k12.wa.us> wrote:

[Quoted text hidden]

VIVANCO, ISMAEL <ivivanco@mvsd320.org>
To: Jeff Cravy <jcravy@conway.k12.wa.us>

Mon, Mar 22, 2021 at 5:47 PM

Cc: Rich Stewart <rstewart@lc.k12.wa.us>, PHIL BROCKMAN <pbrockman@swsd101.org>, Jean Shumate <jshumate@stanwood.wednet.edu>, "Chrys Sweeting (csweeting@asd.wednet.edu)" <csweeting@asd.wednet.edu>

Hi Jeff,

Mount Vernon School District **does not** have available facilities for your needs.

Respectfully,

Ismael Vivanco, Ed.D.
Superintendent
Mount Vernon School District No. 320
www.mountvernonschools.org



On Mon, Mar 22, 2021 at 1:35 PM Jeff Cravy <jcravy@conway.k12.wa.us> wrote:

[Quoted text hidden]

Jeff Cravy <jcravy@conway.k12.wa.us>
To: Jean Shumate <jshumate@stanwood.wednet.edu>, chansen@stanwood.wednet.edu

Thu, Mar 25, 2021 at 1:56 PM

[Quoted text hidden]

Steven Lidgard <slidgard@stanwood.wednet.edu>
To: jcravy@conway.k12.wa.us

Thu, Mar 25, 2021 at 2:29 PM

Dear Superintendent Cravy,

In answer to your question, **No**, this district does not have available facilities.

Regards,

Steve Lidgard
Executive Director - Business Services
Stanwood-Camano School District No. 401
360 629 1216

-